ELSEVIER

Hearing Research 190 (2004) 169

HEARING RESEARCH

www.elsevier.com/locate/heares

Author Index Volume 190

Alku, P., see Sussman, E. (190) 128

Brown, D.J., see McMahon, C.M. (190) 75
Brown, D.J., see Patuzzi, R.B. (190) 87
Brown, D.J., McMahon, C.M. and Patuzzi, R.B.
K^+ currents produce P_1 in the RW CAP: evidence from DC current bias, K^+ channel blockade and recordings from cochlea and brainstem (190) 60
Burkitt, A.N., see Clarey, J.C. (190) 37

Christopoulos, H., see Hildebrand, M.S. (190) 149
Clarey, J.C., Paolini, A.G., Grayden, D.B., Burkitt, A.N. and Clark, G.M.
Ventral cochlear nucleus coding of voice onset time in naturally spoken syllables (190) 37
Clark, G.M., see Clarey, J.C. (190) 37
Cushing, R., see Lobarinas, E. (190) 109

Dahl, H.-H.M., see Hildebrand, M.S. (190) 149
de Silva, M.G., see Hildebrand, M.S. (190) 149

Fan, E., see Han, D. (190) 25

Grayden, D.B., see Clarey, J.C. (190) 37

Habiby Kermany, M., see Sheykholeslami, K. (190) 161
Halliday, A.F., see Patuzzi, R.B. (190) 87
Halmetoja, J., see Sussman, E. (190) 128
Han, D., Yu, Z., Fan, E., Liu, C., Liu, S., Li, Y. and Liu, Z.
Morphology of auditory hair cells in guinea pig cochlea after transgene expression (190) 25
Hanner, P., Jennische, E., Lange, S., Lönnroth, I. and Wahlström, B.
Increased antisecretory factor reduces vertigo in patients with Ménière's disease: a pilot study (190) 31
Hébert, S., Paiement, P. and Lupien, S.J.
A physiological correlate for the intolerance to both internal and external sounds (190) 1
Henry, K.R.
Males lose hearing earlier in mouse models of late-onset age-related hearing loss; females lose hearing earlier in mouse models of early-onset hearing loss (190) 141
Hildebrand, M.S., de Silva, M.G., Klockars, T., Rose, E., Price, M., Smith, R.J.H., McGuirt, W.T., Christopoulos, H., Petit, C. and Dahl, H.-H.M.
Characterisation of DRASIC in the mouse inner ear (190) 149

Jennische, E., see Hanner, P. (190) 31

Kaga, K., see Sheykholeslami, K. (190) 161
Klockars, T., see Hildebrand, M.S. (190) 149
Kros, C.J., see Spreadbury, I.C. (190) 115
Kujala, T., see Sussman, E. (190) 128

Lange, S., see Hanner, P. (190) 31
Li, Y., see Han, D. (190) 25
Liu, C., see Han, D. (190) 25
Liu, S., see Han, D. (190) 25
Liu, Z., see Han, D. (190) 25
Lobarinas, E., Sun, W., Cushing, R. and Salvi, R.
A novel behavioral paradigm for assessing tinnitus using schedule-induced polydipsia avoidance conditioning (SIP-AC) (190) 109
Lönnroth, I., see Hanner, P. (190) 31
Lupien, S.J., see Hébert, S. (190) 1
Lyytinen, H., see Sussman, E. (190) 128

McGuirt, W.T., see Hildebrand, M.S. (190) 149
McMahon, C.M., see Brown, D.J. (190) 60
McMahon, C.M., see Patuzzi, R.B. (190) 87
McMahon, C.M., Brown, D.J. and Patuzzi, R.B.
Transient focal cooling at the round window and cochlear nucleus shows round window CAP originates from cochlear neurones alone (190) 75
Meech, R.W., see Spreadbury, I.C. (190) 115

Näätänen, R., see Sussman, E. (190) 128

Paiement, P., see Hébert, S. (190) 1
Paolini, A.G., see Clarey, J.C. (190) 37
Patuzzi, R.B., see Brown, D.J. (190) 60
Patuzzi, R.B., see McMahon, C.M. (190) 75
Patuzzi, R.B., Brown, D.J., McMahon, C.M. and Halliday, A.F.
Determinants of the spectrum of the neural electrical activity at the round window: transmitter release and neural depolarisation (190) 87
Peterson, E.H., see Rowe, M.H. (190) 10
Petit, C., see Hildebrand, M.S. (190) 149
Price, M., see Hildebrand, M.S. (190) 149

Rose, E., see Hildebrand, M.S. (190) 149
Rowe, M.H. and Peterson, E.H.
Quantitative analysis of stereociliary arrays on vestibular hair cells (190) 10

Salvi, R., see Lobarinas, E. (190) 109
Schmerber, S., see Sheykholeslami, K. (190) 161
Sheykholeslami, K., Schmerber, S., Habiby Kermany, M. and Kaga, K.
Vestibular-evoked myogenic potentials in three patients with large vestibular aqueduct (190) 161
Smith, R.J.H., see Hildebrand, M.S. (190) 149
Spreadbury, I.C., Kros, C.J. and Meech, R.W.
Effects of trypsin on large-conductance Ca^{2+}-activated K^+ channels of guinea-pig outer hair cells (190) 115
Sun, W., see Lobarinas, E. (190) 109
Sussman, E., Kujala, T., Halmetoja, J., Lyytinen, H., Alku, P. and Näätänen, R.
Automatic and controlled processing of acoustic and phonetic contrasts (190) 128

Wahlström, B., see Hanner, P. (190) 31

Yu, Z., see Han, D. (190) 25

doi:10.1016/S0378-5955(04)00092-9

ELSEVIER

Hearing Research 190 (2004) 171–173

HEARING RESEARCH

www.elsevier.com/locate/heares

Subject Index Volume 190

Adenovirus
Cochlea; Transgene; Ultrastructure (Han, D. (190) 25)

Age-related hearing loss
Presbycusis; Presbyacusis; Sex; Gender; Ahl (Henry, K.R. (190) 141)

Ahl
Presbycusis; Presbyacusis; Sex; Gender; Age-related hearing loss (Henry, K.R. (190) 141)

4-Aminopyridine
Round window; Compound action potential; Current injection (Brown, D.J. (190) 60)

Antisecretory factor
Ménière's disease; Immunohistochemistry (Hanner, P. (190) 31)

Autocorrelation
Hair cell; Stereocilium; Otolith organ; Utricle; Saccule; Semicircular canal; Turtle; Frog (Rowe, M.H. (190) 10)

Ca^{2+}-activated K^+ channel
Cochlea; Outer hair cell (Spreadbury, I.C. (190) 115)

Cochlea
Transgene; Adenovirus; Ultrastructure (Han, D. (190) 25)

Compound action potential; Lateral olivo-cochlear efferent neuron; Cochlear nucleus; Spectrum of the averaged waveform; Guinea pig (McMahon, C.M. (190) 75)

Round window compound action potential; Lateral olivo-cochlear efferent neuron; Cochlear nucleus; Spectrum of the averaged waveform; Guinea pig (Patuzzi, R.B. (190) 87)

Ca^{2+}-activated K^+ channel; Outer hair cell (Spreadbury, I.C. (190) 115)

Cochlear nucleus
Voice onset time; Electrophysiology; Speech; Rat (Clarey, J.C. (190) 37)

Compound action potential; Lateral olivo-cochlear efferent neuron; Spectrum of the averaged waveform; Cochlea; Guinea pig (McMahon, C.M. (190) 75)

Round window compound action potential; Lateral olivo-cochlear efferent neuron; Spectrum of the averaged waveform; Cochlea; Guinea pig (Patuzzi, R.B. (190) 87)

Compound action potential
Round window; Current injection; 4-Aminopyridine (Brown, D.J. (190) 60)

Lateral olivo-cochlear efferent neuron; Cochlear nucleus; Spectrum of the averaged waveform; Cochlea; Guinea pig (McMahon, C.M. (190) 75)

Conditioning
Tinnitus; Salicylate; Schedule-induced polydipsia; Rat (Lobarinas, E. (190) 109)

Cortisol
Tinnitus; Stress; Distress; Hyperacusis; Glucocorticoïd (Hébert, S. (190) 1)

Current injection
Round window; Compound action potential; 4-Aminopyridine (Brown, D.J. (190) 60)

Distress
Tinnitus; Stress; Cortisol; Hyperacusis; Glucocorticoïd (Hébert, S. (190) 1)

DRASIC
Inner ear; Mechanoelectrical transduction; Hair cell; Spiral ganglion (Hildebrand, M.S. (190) 149)

Electrophysiology
Cochlear nucleus; Voice onset time; Speech; Rat (Clarey, J.C. (190) 37)

Event-related potentials
Speech processing; Mismatch negativity; N2b; P3b (Sussman, E. (190) 128)

Frog
Hair cell; Stereocilium; Otolith organ; Utricle; Saccule; Semicircular canal; Turtle; Autocorrelation (Rowe, M.H. (190) 10)

Gender
Presbycusis; Presbyacusis; Sex; Age-related hearing loss; Ahl (Henry, K.R. (190) 141)

Glucocorticoïd
Tinnitus; Stress; Distress; Cortisol; Hyperacusis (Hébert, S. (190) 1)

Guinea pig
Compound action potential; Lateral olivo-cochlear efferent neuron; Cochlear nucleus; Spectrum of the averaged waveform; Cochlea (McMahon, C.M. (190) 75)

Round window compound action potential; Lateral olivo-cochlear efferent neuron; Cochlear nucleus; Spectrum of the averaged waveform; Cochlea (Patuzzi, R.B. (190) 87)

doi:10.1016/S0378-5955(04)00093-0

Hair cell
Stereocilium; Otolith organ; Utricle; Saccule; Semicircular canal; Turtle; Frog; Autocorrelation (Rowe, M.H. (190) 10)

Inner ear; DRASIC; Mechanoelectrical transduction; Spiral ganglion (Hildebrand, M.S. (190) 149)

Hyperacusis
Tinnitus; Stress; Distress; Cortisol; Glucocorticoïd (Hébert, S. (190) 1)

Immunohistochemistry
Antisecretory factor; Ménière's disease (Hanner, P. (190) 31)

Inner ear
DRASIC; Mechanoelectrical transduction; Hair cell; Spiral ganglion (Hildebrand, M.S. (190) 149)

Large vestibular aqueduct
Vestibular-evoked myogenic potential; Vestibular; Myogenic potential; Sacculus end-organ hypersensitivity; Vestibulocollic reflex (Sheykholeslami, K. (190) 161)

Lateral olivo-cochlear efferent neuron
Compound action potential; Cochlear nucleus; Spectrum of the averaged waveform; Cochlea; Guinea pig (McMahon, C.M. (190) 75)

Round window compound action potential; Cochlear nucleus; Spectrum of the averaged waveform; Cochlea; Guinea pig (Patuzzi, R.B. (190) 87)

Mechanoelectrical transduction
Inner ear; DRASIC; Hair cell; Spiral ganglion (Hildebrand, M.S. (190) 149)

Ménière's disease
Antisecretory factor; Immunohistochemistry (Hanner, P. (190) 31)

Mismatch negativity
Speech processing; Event-related potentials; N2b; P3b (Sussman, E. (190) 128)

Myogenic potential
Large vestibular aqueduct; Vestibular-evoked myogenic potential; Vestibular; Sacculus end-organ hypersensitivity; Vestibulocollic reflex (Sheykholeslami, K. (190) 161)

N2b
Speech processing; Event-related potentials; Mismatch negativity; P3b (Sussman, E. (190) 128)

Otolith organ
Hair cell; Stereocilium; Utricle; Saccule; Semicircular canal; Turtle; Frog; Autocorrelation (Rowe, M.H. (190) 10)

Outer hair cell
Ca^{2+}-activated K^+ channel; Cochlea (Spreadbury, I.C. (190) 115)

P3b
Speech processing; Event-related potentials; Mismatch negativity; N2b (Sussman, E. (190) 128)

Presbyacusis
Presbycusis; Sex; Gender; Age-related hearing loss; Ahl (Henry, K.R. (190) 141)

Presbycusis
Presbyacusis; Sex; Gender; Age-related hearing loss; Ahl (Henry, K.R. (190) 141)

Rat
Cochlear nucleus; Voice onset time; Electrophysiology; Speech (Clarey, J.C. (190) 37)

Tinnitus; Salicylate; Schedule-induced polydipsia; Conditioning (Lobarinas, E. (190) 109)

Round window
Compound action potential; Current injection; 4-Aminopyridine (Brown, D.J. (190) 60)

Round window compound action potential
Lateral olivo-cochlear efferent neuron; Cochlear nucleus; Spectrum of the averaged waveform; Cochlea; Guinea pig (Patuzzi, R.B. (190) 87)

Saccule
Hair cell; Stereocilium; Otolith organ; Utricle; Semicircular canal; Turtle; Frog; Autocorrelation (Rowe, M.H. (190) 10)

Sacculus end-organ hypersensitivity
Large vestibular aqueduct; Vestibular-evoked myogenic potential; Vestibular; Myogenic potential; Vestibulocollic reflex (Sheykholeslami, K. (190) 161)

Salicylate
Tinnitus; Schedule-induced polydipsia; Rat; Conditioning (Lobarinas, E. (190) 109)

Schedule-induced polydipsia
Tinnitus; Salicylate; Rat; Conditioning (Lobarinas, E. (190) 109)

Semicircular canal
Hair cell; Stereocilium; Otolith organ; Utricle; Saccule; Turtle; Frog; Autocorrelation (Rowe, M.H. (190) 10)

Sex
Presbycusis; Presbyacusis; Gender; Age-related hearing loss; Ahl (Henry, K.R. (190) 141)

Spectrum of the averaged waveform
Compound action potential; Lateral olivo-cochlear efferent neuron; Cochlear nucleus; Cochlea; Guinea pig (McMahon, C.M. (190) 75)

Round window compound action potential; Lateral olivo-cochlear efferent neuron; Cochlear nucleus; Cochlea; Guinea pig (Patuzzi, R.B. (190) 87)

Speech
Cochlear nucleus; Voice onset time; Electrophysiology; Rat (Clarey, J.C. (190) 37)

Speech processing
Event-related potentials; Mismatch negativity; N2b; P3b (Sussman, E. (190) 128)

Spiral ganglion
Inner ear; DRASIC; Mechanoelectrical transduction; Hair cell (Hildebrand, M.S. (190) 149)

Stereocilium
Hair cell; Otolith organ; Utricle; Saccule; Semicircular canal; Turtle; Frog; Autocorrelation (Rowe, M.H. (190) 10)

Stress
Tinnitus; Distress; Cortisol; Hyperacusis; Glucocorticoïd (Hébert, S. (190) 1)

Tinnitus
Stress; Distress; Cortisol; Hyperacusis; Glucocorticoïd (Hébert, S. (190) 1)

Salicylate; Schedule-induced polydipsia; Rat; Conditioning (Lobarinas, E. (190) 109)

Transgene
Cochlea; Adenovirus; Ultrastructure (Han, D. (190) 25)

Turtle
Hair cell; Stereocilium; Otolith organ; Utricle; Saccule; Semicircular canal; Frog; Autocorrelation (Rowe, M.H. (190) 10)

Ultrastructure
Cochlea; Transgene; Adenovirus (Han, D. (190) 25)

Utricle
Hair cell; Stereocilium; Otolith organ; Saccule; Semicircular canal; Turtle; Frog; Autocorrelation (Rowe, M.H. (190) 10)

Vestibular
Large vestibular aqueduct; Vestibular-evoked myogenic potential; Myogenic potential; Sacculus end-organ hypersensitivity; Vestibulocollic reflex (Sheykholeslami, K. (190) 161)

Vestibular-evoked myogenic potential
Large vestibular aqueduct; Vestibular; Myogenic potential; Sacculus end-organ hypersensitivity; Vestibulocollic reflex (Sheykholeslami, K. (190) 161)

Vestibulocollic reflex
Large vestibular aqueduct; Vestibular-evoked myogenic potential; Vestibular; Myogenic potential; Sacculus end-organ hypersensitivity (Sheykholeslami, K. (190) 161)

Voice onset time
Cochlear nucleus; Electrophysiology; Speech; Rat (Clarey, J.C. (190) 37)